

This enclosure is meant for a TRIPLE (3) HiQ 12" 4th Order Band-Pass


Specs: 2.6 cuft net Sealed to 2.6 cuft net Ported Tuned to 60 Hz Exterior

Dimensions: 16.5"H x 40"D x 19.491"W

Interior Separation: W1 Sealed Side: 10.147" W2 Ported Side: 9.344"

Port Specs: 15"H x 2.25"W x 4.846"L

Enclosure



Select

Driver Configuration

Qty: 3

Back Chamber

Vb1 (ft³): 2.600

Q: 0.730

Front Chamber

Vb2 (ft³): 2.600

Fb2 (Hz): 60

S: 0.959

Back Chamber

Vb1 (ft³): 2.600

Driver (ft³): 0.415

Bracing (ft³): 0.000

Total (ft³): 3.015

Front Chamber

Vb2 (ft³): 2.600

Vent (ft³): 0.147

Bracing (ft³): 0.000

Total (ft³): 2.747

Total Volume

Total (ft³): 5.762

External Dimensions

H (m): 16.500


D (m): 40.000

W (m): 19.491

W1 (m): 10.147

W2 (m): 9.344

3D Viewport



Port

Front Chamber

Vb2 (ft³): 2.600

Fb2 (Hz): 60

Vent Parameters

Quantity: 1

Internal Vent Dimensions


H (in): 15.000

W (in): 2.250



L (in): 4.846

A (in²): 33.75



3D Viewport



Panel Cut Sheets



Panel Cut Sheets



Panel Cut Sheets

